# Brewer Science<sup>®</sup> Cee<sup>®</sup> Model 10

Bake Plate



The Brewer Science® Cee® Model 10 bake plate provides the user with repeatable thermal performance in a robust system design for years of reliable operation.

# **Benefits**

The Brewer Science Cee® Model 10 bake plate is designed for process and R&D engineers requiring a bake plate for large-area substrate applications. The Cee® Model 10 bake plate has capability for 300-mm or 14-in square (maximum) substrates. This bake plate provides the user with repeatable thermal performance in a robust system designed for years of reliable operation.

## **Operation**

- ▶ Pneumatic lift pin option (load/unload) standard
- ▶ Removable fixed proximity standoffs (0.006" standard)
- Contact or fixed proximity bake methods (standard)
- Optional vacuum and proximity bake for 200- and 300-mm wafers
- Optional custom bake plate surfaces available upon request

## Programmability

- Dual 4-digit alphanumeric LED display
- ▶ Full PID operation
- ▶ Temperature auto-tuning capable
- Security: password protection available at no charge
- Optional ramping capability (8 specific set points)

#### Precision

- ▶ Substrate Sizes: < 1 cm to 300 mm round; 14 in x 14 in square
- ▶ Temperature Resolution: 0.1°C
- ► Temperature Range: ambient to 300°C (400°C optional)
- ▶ Temperature Uniformity: ± 0.3% across working surface



### **Dimensions**

- Machine Weight: 77 lb
- ▶ Shipping Weight: 210 lb
- Cabinet Dimensions: 18.75 in L x 18.75 in W x 9.5 in H

## Reliability

- ▶ Industry-leading reliability and uptime
- ▶ 1-year full warranty on parts and labor
- Free remote technical support (phone, email, fax) for life of the product
- ▶ Application process assistance for life of the product

Where innovation takes flight!<sup>™</sup> Page 2

# Exhaust Bake Hood Design

- ▶ All stainless steel construction
- Optional exhausted hood for removal of process chemicals
- Optional nitrogen purge for inert bake environment


## **Utilities**

▶ Power requirements: 208 to 240 volts AC, 3005-4005 watts

Full load current: 14.4 to 16.7 amps

▶ Input breaker/fuse: 20 amps

Optional exhausted lid port: 2-inch OD
Optional exhausted lid: 10- to 30-cfm range



Optional vacuum and proximity bake for 200-mm and 300-mm wafers

©2011 Brewer Scinece, Inc. All statements, technical information and recommendations contained herein are based on tests we believe to be accurate, but the accuracy or completeness thereof is not guaranteed and the following is made in lieu of warranty expressed or implied. Neither the seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential, arising from the use or inability to use the product. Before using, user shall determine the suitability of the product for his intended use, and user assumes all risk and liability whatsoever in connection therewith. No statement or recommendation not contained herein shall have any force or effect unless in an agreement signed by officers of the seller and manufacturer.